Virginia Department of Medical Assistance Services

837 Professional Encounters Data Clarification for Managed Care Organizations



ASC X12N 837 Version 004010X098A1

Version 1.0 March 22, 2006

Version Change Summary

| Version | Description | Date |
|-------------|-------------------------|------------|
| No. | | |
| Version 1.0 | Original Implementation | 03/22/2006 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

INTRODUCTION

This document is a companion to the National Electronic Data Interchange Transaction Set Implementation Guide, Health Care Claim: Professional, ASC X12N 837 dated May 2000 (IG) and the Addenda dated October 2002 (004010X098A1). The 837 IG and Addenda are available from the Washington Publishing Company and may be downloaded from www.wpc-edi.com/hipaa/.

DMAS intends that this clarification document be used in conjunction with the IG and Addenda, which contain all of the Health Insurance Portability and Accountability Act (HIPAA) transaction and code set requirements. This document supplements the IG and Addenda with data clarifications that are authorized under HIPAA. It is provided to clarify situations where the IG is not specific and to help the MCO understand how DMAS will be using the inbound 837 transactions and its data elements in the Virginia Medicaid Management Information System (VaMMIS).

PURPOSE

The purpose of this clarification is to outline DMAS's specific requirements with respect to the 837 data loops, segments, and elements for encounter data. The goal is to facilitate the contracted MCO's understanding of DMAS's data needs.

Professional claims and encounter data submitted to DMAS using the 837 transactions should follow the Provider-to-Provider-to-Payer COB data model referenced in the IG (see page 15 of the guide for information about this model). This model contains loops, segments, and data elements that provide information necessary for DMAS's MMIS and decision support systems.

Page numbers on the following data-clarification matrix refer to the page number in the IG on which the data element appears. Page numbers that begin with "A" are Addenda page numbers. Page numbers that begin with "B" are from Appendix B of the IG, EDI Control Directory.

All data elements that are used by the VaMMIS are listed on the following matrix. The matrix does **not** include all data elements that are required by the IG and those must be coded according to instructions in the IG. The instructions here are not intended to override instructions or requirements contained in the IG; they are provided to clarify DMAS's expectations with respect to the various data elements within the 837 transaction where interpretation is possible.

Not all data elements that are indicated as used on the following matrix are required in every situation. Some of the data elements indicated as used are required only when a specific situation is present. For example, the CR1 segment in the 2300 loop for ambulance transport is only required on ambulance claims.

If an MCO is submitting both claims to be paid by DMAS and encounters for services rendered and paid under DMAS's capitation agreement with the MCO, these must be submitted in separate ISA-IEA envelopes.

REQUIRED ENCOUNTER DATA

All encounters processed by the MCO or any MCO subcontracted vendor should be submitted to DMAS in the prescribed format, including records that were denied for most reasons.

The exceptions, which should NOT be submitted to DMAS, are:

- Encounters that are rejected by the MCO
- Encounters that are duplicates of records previously submitted by the provider
- Encounters that contain an invalid Medicaid recipient identifier
- Encounters for Medicaid recipients who are not enrolled with your MCO

If the encounter being submitted is one that you have denied, the encounter should be submitted to DMAS with the appropriate denial reason code from the Adjustment Reason Code set (code source 139) appearing in the first CAS segment of the encounter.

ADJUSTMENTS and VOIDS

When submitting adjustment or void records, please ensure the adjusted or void record conforms to the following requirements:

- If the record to which the adjustment applies was not previously submitted to VaMMIS, the original record must precede the adjustment record in the file containing the adjustment record. In other words, you can submit an original and adjustment record in the same file as long as the original record precedes the adjustment record.
- 2. Your claim number on the original record must be coded in Loop 2300, REF segment (page 180 of IG), REF02 Original Reference Number. If this number does not match a number in the DMAS system, the adjustment or void record will be assigned a fatal error code.
- 3. If you are adjusting or voiding one service line on a claim that has more than one line, you must adjust or void all lines. The order in which the service lines appear on an adjusted or voided claim must be the same as on the original claim.

NATIONAL PROVIDER IDENTIFIER

The final rule on National Provider Identifiers (NPI) becomes effective on May 23, 2007 (except for small health plans, which have until May 23, 2008). The final rule specifies that a covered provider must use its assigned NPI where called for on all HIPAA-

specified electronic transactions exchanged between covered entities beginning on May 23, 2007 (or May 23, 2008 for small plans).

In order to prepare for compliance with the NPI rule, DMAS will implement its use of the NPI in phases as follows:

- Phase 1: Effective immediately, DMAS will accept both legacy ID (current nine-digit Medicaid provider ID) and the NPI but only the legacy number will be used in the VaMMIS.
- Phase 2: Effective 2/17/2007 DMAS will accept both the legacy ID and the NPI. However, if an NPI is present, only the NPI number will be used.
- Phase 3: Effective 5/23/2007, DMAS will only accept the NPI. Legacy IDs will be returned as invalid.

For providers that are not considered health care providers and cannot obtain an NPI (such as taxi drivers), DMAS is developing a plan to provide those providers with a tendigit ID that will mimic the NPI.

DMAS DOCUMENTATION

To further assist MCOs in the encounter data submission process, DMAS is providing other information that MCOs should review. These documents include:

- Encounter Data Submission Manual at https://virginia.fhsc.com/providers/Manuals.asp
- Companion Guides at https://virginia.fhsc.com/hipaa/CompanionGuides.asp
- Data Clarifications at http://www.dmas.virginia.gov/mc-encounter.htm

The Companion Guides are not specific to encounter data, but may contain helpful information not found in the Data Clarifications or this Encounter Data Submission Manual.

Virginia Department of Medical Assistance Services Data Clarification – 837 Professional Transactions for Managed Care Organizations

| Page | Loop | Segment | Data Element | Clarification |
|------|------|---------|------------------------------|--|
| B.3 | | ISA | ISA01 – Authorization | Use "00" |
| | | | Information Qualifier | |
| B.3 | | ISA | ISA02 – Authorization | Use ten blanks |
| | | | Information | |
| B.4 | | ISA | ISA03 – Security Information | Use "00" |
| | | | Qualifier | |
| B.4 | | ISA | ISA04 – Security Information | Use ten blanks |
| B.4 | | ISA | ISA05 – Interchange ID | Use "ZZ" |
| | | | Qualifier | |
| B.4 | | ISA | ISA06 – Interchange Sender | Use the MCOs four-digit Service Center Number assigned by First |
| | | | ID | Health |
| B.4 | | ISA | ISA07 – Interchange ID | Use "ZZ" |
| | | | Qualifier | |
| B.5 | | ISA | ISA08 – Interchange Receiver | Use "VMAP FHSC FA" |
| | | | ID | |
| B.5 | | ISA | ISA09 – Interchange Date | YYMMDD of interchange |
| B.5 | | ISA | ISA10 – Interchange Time | HHMM of interchange |
| B.5 | | ISA | ISA11 – Interchange Control | Use "U" |
| | | | Standards Identifier | |
| B.5 | | ISA | ISA12 – Interchange Control | Use "00401" |
| | | | Version Number | |
| B.5 | | ISA | ISA13 – Interchange Control | Nine-digit control number assigned by sender. Must match the value |
| | | | Number | in IEA02. |

| Page | Loop | Segment | Data Element | Clarification |
|------|------|---------|-------------------------------|---|
| B.6 | | ISA | ISA14 – Acknowledgment | Use "0" |
| | | | Requested | |
| B.6 | | ISA | ISA15 – Usage Indicator | Use "P" for production data or "T" for test data |
| B.6 | | ISA | ISA16 – Component Element | Use ">" |
| | | | Separator | |
| B.8 | | GS | GS01 – Functional Identifier | Use "HC" |
| | | | Code | |
| B.8 | | GS | GS02 – Application Sender's | Use the MCOs four-digit Service Center Number assigned by First |
| | | | Code | Health |
| B.8 | | GS | GS03 – Application Receiver's | Use "VMAP FHSC FA" |
| | | | Code | |
| B.8 | | GS | GS04 – Functional Group | CCYYMMDD |
| | | | Creation Date | |
| B.8 | | GS | GS05 – Creation Time | HHMM |
| B.9 | | GS | GS06 – Group Control | Assigned by the MCO. Must be identical to the associated functional |
| | | | Number | group trailer, GE02. |
| B.9 | | GS | GS07 – Responsible Agency | Use "X" |
| | | | Code | |
| B.9 | | GS | GS08 – Version/Release/ | Use "004010X098A1" |
| | | | Industry Identifier Code | |
| 62 | | ST | ST01 – Transaction Set | Use "837" |
| | | | Identifier Code | |
| 62 | | ST | ST02 – Transaction Set | Use a number that is unique within the functional group and |
| | | | Control Number | interchange (GS-GE and ISA-IEA). Must be identical to SE02. |
| 63 | | BHT | BHT01 – Hierarchical | Use "0019" |
| | | | Structure Code | |
| 64 | | BHT | BHT02 – Transaction Set | Use "00" if original submission; use "18" if the file is being |
| | | | Purpose Code | resubmitted. |

Professional Services 5 Version 1.0 - 03/22/2006

| Page | Loop | Segment | Data Element | Clarification |
|------|--------|---------|---|--|
| 64 | | ВНТ | BHT03 – Originator | Specific to the MCO – this will operate as the batch control number. |
| | | | Application Transaction Identifier | |
| 64 | | BHT | BHT04 – Creation Date | CCYYMMDD |
| 65 | | BHT | BHT05 – Creation Time | HHMM |
| 65 | | BHT | BHT06 - Transaction Type Code | Use "RP"(Reporting) |
| A13 | | REF | REF01 – Reference ID Qualifier | Use "87" |
| A13 | | REF | REF02 – Transmission Type Code | Use "004010X098A1" |
| 69 | 1000A | NM1 | NM109 – Submitter Primary Identifier | Use the MCOs four-digit Service Center Number assigned by Virginia Medicaid |
| 75 | 1000B | NM1 | NM103 – Last Name or Organization Name | Use "Dept of Med Assist Svcs" |
| 75 | 1000B | NM1 | NM109 – Receiver Primary ID Code | Use "Dept of Med Assist Svcs" |
| 86 | 2010AA | NM1 | NM108 – Identification Code | After implementation of the NPI, use "XX", until then use either: |
| | | | Qualifier | 24 = Employer's Identification Number |
| | | | | 34 = Social Security Number |
| 86 | 2010AA | NM1 | NM109 – Billing Provider ID | If NM108 is XX, this is the NPI for the provider that is billing for the |
| | | | | service (not the MCO's ID). Prior to NPI implementation, use the provider's (not the MCO's) identifier as indicated above. |
| 92 | 2010AA | REF | REF01 – Reference ID | "1D" (Medicaid Provider Number). This segment will not be needed |
| | | | Qualifier | after full implementation of the NPI. In its place the NM1 segment |
| | | | | will be used to report the billing provider NPI. |
| 92 | 2010AA | REF | REF02 – Billing Provider | This is the nine-digit Medicaid ID number of the billing provider. |
| | | | Secondary ID | This segment will not be needed after full implementation of the NPI. |

Professional Services 6 Version 1.0 - 03/22/2006

| Page | Loop | Segment | Data Element | Clarification |
|------|--------|---------|------------------------------|---|
| 108 | 2000B | HL | None | The number of claims within an ST/SE segment is limited to 5,000 as |
| | | | | recommended in the IG. There is an implied maximum of 5,000 for |
| | | | | the number of Subscriber Hierarchical Level loops. |
| 110 | 2000B | SBR | SBR01 – Payer Responsibility | Use "S" (Secondary) or "T" (Tertiary) |
| | | | Sequence Number Code | |
| 118 | 2010BA | NM1 | NM103 – Subscriber's Last | Report the last name of the subscriber |
| | | | Name | |
| 118 | 2010BA | NM1 | NM104 – Subscriber's First | Report the first name of the subscriber |
| | | | Name | |
| A17 | 2010BA | NM1 | NM108 – Subscriber ID | Use "MI" (Member Identification Number) |
| | | | Qualifier | |
| A17 | 2010BA | NM1 | NM109 – Subscriber Primary | Use the twelve-digit enrollee ID number assigned by Virginia |
| | | | ID | Medicaid |
| 171 | 2300 | CLM | CLM01 – Patient Control | The MCO's claim reference number |
| | | | Number | |
| 172 | 2300 | CLM | CLM02 – Total Claim Charges | Total claim charge amount |
| 173 | 2300 | CLM | CLM05-1 – Facility Type | The place of service value from code source 237 |
| | | | Code | |
| A22 | 2300 | CLM | CLM05-3 – Claim Frequency | Use the appropriate code as follows: |
| | | | Type Code | 1 = Original |
| | | | | 7 = Replacement |
| | | | | 8 = Void |
| A23 | 2300 | CLM | CLM11-1 Related Cause Code | AA = Auto Accident |
| | | | | AP = Another Party Responsible |
| | | | | EM = Employment |
| | | | | OA = Other Accident |

Professional Services 7 Version 1.0 - 03/22/2006

| Page | Loop | Segment | Data Element | Clarification |
|------|------|---------|---------------------------|--|
| A25 | 2300 | CLM | CLM12 – Special Program | 01 = EPSDT |
| | | | Code | 02 = Physically Handicapped Children's Program |
| | | | | 03 = Special Federal Funding |
| | | | | 05 = Disability |
| | | | | 07 = Induced Abortion – Danger to Life |
| | | | | 08 = Induced Abortion – Rape or Incest |
| | | | | 09 = Second Opinion or Surgery |
| A26 | 2300 | DTP | DTP03 – Initial Treatment | CCYYMMDD |
| | | | Date | |
| 208 | 2300 | DTP | DTP03 – Related | CCYYMMDD |
| | | | Hospitalization Admission | |
| | | | Date | |
| 211 | 2300 | DTP | DTP03 – Related | CCYYMMDD |
| | | | Hospitalization Discharge | |
| | | | Date | |
| 215 | 2300 | PWK | PWK01 – Attachment Report | See Implementation Guide for valid values |
| | | | Type Code | |
| 216 | 2300 | PWK | PWK02 – Attachment | See Implementation Guide for valid values |
| | | | Transmission Code | |

Professional Services 8 Version 1.0 - 03/22/2006

| Page | Loop | Segment | Data Element | Clarification |
|------|------|---------|---------------------------------------|--|
| 216 | 2300 | PWK | PWK06 – Attachment Control | If $PWK02 = BM$, EL , EM or FX : |
| | | | Number | Maximum of 33 positions with no embedded spaces or special |
| | | | | characters, such as slashes, dashes, punctuation, etc. |
| | | | | Made up of three separate fields as follows: |
| | | | | <u>Positions</u> <u>Information</u> <u>Instructions</u> |
| | | | | 1 – 20 Patient Account Number Left justify, blank fill |
| | | | | 21 – 28 From Date of Service Use value from first service line; MMDDCCYY |
| | | | | 31 – 33 Sequential control number Right justified, zero filled |
| | | | | The attachment control number should be the same for every |
| | | | | attachment associated with a specific claim. |
| 217 | 2300 | CN1 | CN101 – Contract Type Code | The method by which the MCO paid its provider: |
| | | | | 01 = DRG |
| | | | | 02 = Per Diem |
| | | | | 03 = Variable Per Diem |
| | | | | 04 = Flat |
| | | | | 05 = Capitated 06 = Percent |
| | | | | 00 = Percent 09 = Other |
| A30 | 2300 | AMT | AMT01 – Amount Qualifier | Use "F5" (Patient Amount Paid) |
| A30 | 2300 | AMT | AMT02 – Patient Amount | Total amount the patient paid on this claim |
| | | | Paid | r |
| 228 | 2300 | REF | REF01 – Reference | If this service received prior authorization, use "G1" (Prior |
| | | | Identification Qualifier | Authorization Number) |
| 229 | 2300 | REF | REF02 – Prior Authorization Number | MCO's prior authorization number, if applicable |

Professional Services 9 Version 1.0 - 03/22/2006

| Page | Loop | Segment | Data Element | Clarification |
|------|-------|---------|------------------------------|--|
| 230 | 2300 | REF | REF01 – Reference | Use "F8" (Original Reference Number) if this record is a replacement |
| | | | Identification Qualifier | or void of a previously submitted record (a value of 7 or 8 CLM105- |
| | | | | 3). |
| 230 | 2300 | REF | REF02 – Claim Original | For void or replacement records, the MCO's original claim number. |
| | | | Reference Number | Note that this should be a maximum of 20 positions. |
| 232 | 2300 | REF | REF01 – Reference | Use "X4" (CLIA number) |
| | | | Identification Qualifier | |
| 232 | 2300 | REF | REF02 – CLIA Number | The Clinical Laboratory Improvement Amendment number |
| 247 | 2300 | NTE | NTE01 – Note Reference | ADD = Additional Information |
| | | | Code | CER = Certification Narrative |
| | | | | DCP = Goals, Rehabilitation Potential, or Discharge Plans |
| | | | | DGN = Diagnosis Description |
| | | | | PMT = Payment |
| | | | | TPO = Third Party Organization Notes |
| 247 | 2399 | NTE | NTE02 – Claim Note Text | Free text remarks, if needed |
| 250 | 2300 | CR1 | CR105 – Unit or Basis for | Use "DH" (Miles) |
| | | | Measurement Code | |
| 250 | 2300 | CR1 | CR106 – Ambulance | For ambulance claims, the number of miles of transport. |
| | | | Transport Distance | |
| 266 | 2300 | HI | HI01-1 – Code List Qualifier | Use "BK" (Principal Diagnosis) |
| 266 | 2300 | HI | HI01-2 – Diagnosis Code | ICD-9-CM diagnosis which is the principal cause of the claim |
| 266- | 2300 | HI | HI02-1 to HI08-1 – Code List | Use "BF" (Diagnosis code) for all additional diagnosis codes. |
| 270 | | | Qualifier | |
| 266- | 2300 | HI | HI02-2 to HI08-2 – Diagnosis | Secondary diagnosis codes applicable to the claim |
| 270 | | | Code | |
| 288 | 2310A | REF | REF01 – Reference | Use "1D" (Medicaid Provider Number) This segment will not be |
| | | | Identification Qualifier | needed after full implementation of the NPI. In its place the NM1 |
| | | | | segment will be used to report the referring physician NPI. |

Professional Services 10 Version 1.0 - 03/22/2006

| Page | Loop | Segment | Data Element | Clarification |
|-------|-------------------|------------|--|--|
| 289 | 2310A | REF | REF02 – Referring Physician | The nine-digit provider identifier assigned by Virginia Medicaid for |
| | | | Secondary Identifier | the referring physician. This segment will not be used after full |
| | | | | implementation of the NPI. |
| 296 | 2310B | REF | REF01 – Reference | Use "1D" (Medicaid Provider Number) This segment will not be |
| | | | Identification Qualifier | needed after full implementation of the NPI. In its place the NM1 |
| • • • | 22105 | 5.55 | | segment will be used to report the rendering physician NPI. |
| 297 | 2310B | REF | REF02 – Rendering Physician | The nine-digit provider identifier assigned by Virginia Medicaid for |
| | | | Secondary Identifier | the rendering physician. This segment will not be used after full |
| 222 | 2220 | G A G | | implementation of the NPI. |
| 323 | 2320 | CAS | | If you denied this entire claim or made any adjustment at the claim |
| 226 | 2220 | CAG | CA 502 05 00 11 14 17 | level, use the following 2320 segments. |
| 326- | 2320 | CAS | CAS02, 05, 08, 11, 14, 17 – | Use any denial codes in the first of these segments; if the claim was |
| 330 | | | Adjustment Reason Codes | not denied by the MCO, use the segments needed to balance the |
| 227 | 2220 | CAG | CA 502 06 00 12 16 10 | transaction. |
| 327- | 2320 | CAS | CAS03, 06, 09, 12, 16, 18 – | If the claim was denied, show the entire charge amount as denied; |
| 330 | | | Adjustment Amount | otherwise use the segment amounts as needed to balance the transaction. |
| 332 | 2320 | ANT | AMTO2 Passar Daid Amagnat | |
| | 2320 | AMT AMT | AMT02 – Payer Paid Amount AMT02 – Allowed Amount | The amount the MCO paid for this claim. The amount the MCO allowed for this claim. |
| 334 | | | | |
| 335 | 2320 | AMT | AMT02 – Patient | Any amount paid by the patient for this claim. |
| 267 | 2220D | DTD | Responsibility Amount | Data annual in CCVVMMDD format |
| 367 | 2330B | DTP | DTP- Adjudication or Paid | Date expressed in CCYYMMDD format |
| 399 | 2400 | LX | Date LX01 – Service Line Number | VA Medicaid suggests that the number of service lines on a claim be |
| 399 | 2400 | LA | LX01 – Service Line Number | VA Medicaid suggests that the number of service lines on a claim be restricted to 350 or less. |
| A55 | 2400 | SV1 | SV101-1 – Service ID | Use "HC" (HCPCS procedure code – CPT Level 1 and HCPCS Level |
| AJJ | ∠ 4 00 | 3 V I | Qualifier | II) |
| A56 | 2400 | SV1 | SV101-2 – Procedure Code | Required on outpatient facility services if an appropriate code exists. |
| AJU | 2400 | 211 | S v 101-2 – Procedure Code | Required on outpatient facility services if an appropriate code exists. |

Professional Services 11 Version 1.0 - 03/22/2006

| Page | Loop | Segment | Data Element | Clarification |
|------|-------|---------|-----------------------------------|--|
| A56 | 2400 | SV1 | SV101-3 – Procedure Modifier | Use a valid modifier if it will clarify/improve the reporting accuracy |
| | | | | of the associated procedure code. |
| 402 | 2400 | SV1 | SV101-4 – Procedure Modifier | Use a valid modifier if it will clarify/improve the reporting accuracy |
| | | | | of the associated procedure code. |
| 402 | 2400 | SV1 | SV101-5 – Procedure Modifier | Use a valid modifier if it will clarify/improve the reporting accuracy |
| | | | | of the associated procedure code. |
| 402 | 2400 | SV1 | SV101-6 – Procedure Modifier | Use a valid modifier if it will clarify/improve the reporting accuracy |
| | | | | of the associated procedure code. |
| 402 | 2400 | SV1 | SV102 – Line Item Charge | If not reported at the claim level, the submitted charge amount for |
| | | | Amount | this line item. |
| 403 | 2400 | SV1 | SV103 – Unit or Basis for | MJ = Minutes (for anesthesia claims) |
| 100 | • 100 | 97.74 | Measurement Code | UN = Unit |
| 403 | 2400 | SV1 | SV104 – Service Unit Count | Number of units or minutes |
| 404 | 2400 | SV1 | SV105 – Place of Service | Required if not the same value as that used in the 2300 loop. |
| 10.7 | | | Code | |
| 405 | 2400 | SV1 | SV107-1 – Diagnosis Code | A value of 1 through 8, inclusive, that identifies the primary |
| | | | Pointer | diagnosis code for this service; this pointer "points" to a diagnosis in |
| 405 | 2400 | 03.71 | GV107.2 B: : G 1 | the 2300 HI diagnoses segment. |
| 405 | 2400 | SV1 | SV107-2 – Diagnosis Code | A value of 1 through 8, inclusive, that identifies, in declining order of |
| 405 | 2400 | 0371 | Pointer C 1 | importance, additional diagnoses for this service line. |
| 405 | 2400 | SV1 | SV107-3 – Diagnosis Code | A value of 1 through 8, inclusive, that identifies, in declining order of |
| 405 | 2400 | CVI | Pointer Carla | importance, additional diagnoses for this service line. |
| 405 | 2400 | SV1 | SV107-4 – Diagnosis Code | A value of 1 through 8, inclusive, that identifies, in declining order of |
| A 57 | 2400 | CV/1 | Pointer CV100 Francisco Indicator | importance, additional diagnoses for this service line. |
| A57 | 2400 | SV1 | SV109 – Emergency Indicator | Use "Y" if service was rendered on an emergency basis. |
| A57 | 2400 | SV1 | SV112 – Family Planning | Use "Y" if service involved family planning. |
| 414 | 2400 | CD 1 | Indicator Distance | English and the form of the first of the fir |
| 414 | 2400 | CR1 | CR106 – Transport Distance | For ambulance services, the transport distance if different from that |
| | | | | reported at the claim level. |

Professional Services 12 Version 1.0 - 03/22/2006

| Page | Loop | Segment | Data Element | Clarification |
|------|-------|---------|-------------------------------------|--|
| 436 | 2400 | DTP | DTP03 – Service Date | If different than the date reported at the claim level |
| A66 | 2400 | DTP | DTP01 – Date Time Qualifier | Use "454" (Initial Treatment Date) for services involving spinal |
| | | | | manipulation |
| A67 | 2400 | DTP | DTP03 – Initial Treatment | Date expressed as CCYYMMDD |
| | | | Date | |
| 466 | 2400 | CN1 | CN101 – Contract Type Code | The method by which the MCO paid its provider for this service: |
| | | | | 01 = DRG |
| | | | | 02 = Per Diem |
| | | | | 03 = Variable Per Diem |
| | | | | 04 = Flag |
| | | | | 05 = Capitated |
| | | | | 06 = Percent |
| 470 | 2400 | DEE | DEFECT D. A. d | 09 = Other |
| 470 | 2400 | REF | REF02 – Prior Authorization | Not required of MCOs but will be collected if coded |
| 472 | 2400 | DEC | or Referral Number | |
| 473 | 2400 | REF | REF02 – Line Item Control Number | The MCO's line item control number |
| 476 | 2400 | REF | REF02 – CLIA number | Clinical Laboratory Improvement Amendment number if different |
| | | | | from that reported at the claim level |
| 485 | 2400 | AMT | AMT02 – Approved Amount | The amount the MCO approved for this service. |
| 488 | 2400 | NTE | NTE01 – Note Reference | Use "ADD" (Additional Information) |
| | | | Code | |
| 488 | 2400 | NTE | NTE02 – Line Note Text | If information different from that provided in the claim level loop is |
| | | | | required, free form text |
| 548 | 2420F | REF | REF02 – Referring Provider | Medicaid Provider Number of the referring provider |
| | | | Secondary Identifier | |
| 555 | 2430 | SVD | SVD02 – Service Line Paid | Amount paid for this specific service |
| | | | Amount | |
| 558 | 2430 | CAS | | DMAS requires line level adjudication for all professional services. |

Professional Services 13 Version 1.0 - 03/22/2006

| Page | Loop | Segment | Data Element | Clarification |
|------|------|---------|-----------------------------|---|
| 560- | 2430 | CAS | CAS02, 05, 08, 11, 14, 17 – | Use any denial codes in the first of these segments; if the claim was |
| 565 | | | Adjustment Reason Codes | not denied by the MCO, use the segments needed to balance the |
| | | | | transaction. |
| 560- | 2430 | CAS | CAS03, 06, 09, 12, 16, 18 – | If the claim was denied, show the entire charge amount as denied; |
| 565 | | | Adjustment Amount | otherwise use the segment amounts as needed to balance the |
| | | | | transaction. |
| 566 | 2430 | DTP | DTP03 – Service Line | Date expressed in format CCYYMMDD |
| | | | Adjudication or Paid Date | |
| B.30 | | SE | SE01 – Number of Included | Total number of segments included in a transaction set, including the |
| | | | Segments | ST and SE segments. |
| B.30 | | SE | SE02 – Transaction Set | Must match the control number in ST02. |
| | | | Control Number | |
| B.10 | | GE | GE01 – Number of | Total number of transaction sets included. |
| | | | Transaction Sets Included | |
| B.10 | | GE | GE02 – Group Control | Must be the same number contained in GS06. |
| | | | Number | |
| B.7 | | IEA | IEA01- Number of Included | A count of the number of functional groups included in the |
| | | | Functional Groups | interchange. |
| B.7 | | IEA | IEA02 – Interchange Control | Must match the control number in ISA13. |
| | | | Number | |

Professional Services 14 Version 1.0 - 03/22/2006